



Series Name: B4Z_BH
Pump Size: 4 x 5 x 9 BH

Department of Energy Requirements	
PE _{icl}	0.96
Model	B4ZBH
Imp. Dia. (in.)	9.50

Available Configurations	
CCMD	B4ZPBH
Frame	B4ZRBH
SAE	B4ZQBH

Curve Conditions	
Nominal RPM	1750
Maximum Working Pressure	175 psi (12 bar)
Based on Fresh Water @ F	68 (20 C)





Series Name: B4Z_BH

Pump Size: 4 x 5 x 9 BH

Department of Energy Requirements	
PEI _{CL}	0.96
Model	B4ZBH
Imp. Dia. (in.)	9.50

Available Configurations	
CCMD	B4ZPBH
Frame	B4ZRBH
SAE	B4ZQBH

Curve Conditions	
Nominal RPM	VARIOUS
Maximum Working Pressure	175 psi (12 bar)
Based on Fresh Water @ F	68 (20 C)



This product as sold in U.S. is regulated by 10 CFR Parts 429 and 431.

293 Wright Street | Delavan | WI 53115 | www.BerkeleyPumps.com

For a detailed list of where Pentair trademarks are registered, please visit www.pentair.com/en/registrations.html. Pentair trademarks and logos are owned by Pentair PLC, or its affiliates. Third party registered and unregistered trademarks and logos are the property of their respective owners. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer. BK13147 DOE (3/09/20) © 2020 Pentair. All Rights Reserved.