



FAIRBANKS NIJHUIS™ VERTICAL TURBINE PUMP



TYPE VDL/VDF

www.FairbanksNijhuis.com



Intake Sump Configurations

Vertical turbine pumps are available in customized configurations to match the specific installation requirements for different applications. For open sumps, the ANSI/HI guidelines are usually applied, ensuring sufficient submersion to avoid formation of vortices. Well-designed intake channels ensure optimal hydraulic operation and can reduce the pump submersion depth, thus reducing excavation depth of the pump station. Using advanced CFD analysis, Pentair's Fairbanks Nijhuis can assist in the design of the inlet channel to assure optimal design configuration.



About Pump Curves


The Fairbanks Nijhuis vertical turbine pump is available in a wide range of capacities and heads:

- Capacities: 50 - 15,000 m³/h (220 - 66,000 USGPM)
- Head: 25 - 255 mlc (82 - 839 feet)

Detailed pump curves are supplied on request. We can assist you in selecting the right pump for your application in order to ensure optimum performance for the complete operating range.

Water & Responsibility

Today, markets look for business partners who think and support in a sustainable manner. Pentair's Fairbanks Nijhuis anticipates this need with environment-friendly products and reliable services, which help customers reduce their energy consumption and carbon footprint. The employees of Pentair are committed to contributing to a better world by having as primary objectives: preserve the environment, protect society and enable our customer's business to prosper.



Vertical Turbine Pump

An energy efficient solution

The Fairbanks Nijhuis vertical turbine pump is an energy efficient and reliable pump for specific applications. Pentair's Fairbanks Nijhuis offers a quality line of vertical turbine pumps, suitable for various liquids and applications. The pump is available with a dry motor installation, in a wide range of flow rates, pressure heads and construction materials. Continuous research and implementation of new technologies ensures an optimized pump design for high efficiency and durability.

Applications

- Potable water
- Cooling water
- Desalination
- Offshore
- Agriculture
- Fire-fighting systems
- Mining

Customized Solutions

A valuable and sustainable option

System design and performance are usually dependent on the availability and configuration of suitable pumps. At Pentair's Fairbanks Nijhuis, we can modify our pump designs to meet the requirements of each individual system. This results in the best overall system performance for a specific application.

Design modification can range from minor changes like reshaping the impeller, to a dedicated design for a specific application. The vast experience and engineering know-how as well as advanced design software available at Pentair, ensure that new custom designs are developed in an expedient way. Hydraulic performance can be accurately predicted and all designs are subjected to structural analysis. Design verification occurs in our test facility, except for very large pumps, of which either a scale model test is performed or extensive on-site measurements can be conducted using our calibrated instrumentation. Consider a customized solution as a valuable and sustainable option when selecting your pumps.

Our Customers Benefit From


- High efficiency
- Reduced energy consumption
- Less environmental impact
- Low operating costs
- Extended service life and durability
- Low maintenance requirements

Dry Motor Configuration

Type VDL/VDF

The VDL/VDF pump range is the dry motor version of our vertical turbine pump program. The hydraulic design includes a suction bell, single or multiple pump stages with closed or open mixed flow impellers, column pipes with integrated line-shafts and a discharge elbow that can be located either above or below the foundation level.

The type VDF is the vertical turbine pump, used in the Fairbanks Nijhuis fire-fighting units for negative suction applications in, for instance, the offshore industry. This pump, driven by either a diesel or electric motor, moves seawater into the (containerized) fire fighting system to feed the sprinkler system with extinguishing water. The pump performance conforms to all international standards, including NFPA, FM, UL and VDS.



Shaft Seals & Bearings

Features and Benefits

High Efficiency

The shapes of impeller and pump casings are optimized to achieve the highest possible efficiency for the specific design flow rate and pressure head. Also, off-design characteristics are optimized to give each pump a wide operating range, ensuring that cavitation limits are not exceeded.

Maintenance and Durability

By constructing the vertical turbine pump using the materials and shaft seals appropriate for the application, maintenance requirements are kept to a minimum. Additionally, our service department offers service and maintenance contracts for on-going support to assure minimal downtime. By selecting the correct combination of materials for each application to ensure against corrosion, Pentair provides a durable solution with this pump.

Material Options

To meet the demands of multiple applications, especially considering the type of liquid pumped, the vertical turbine pump can be constructed in a wide range of materials, e.g.:

- Cast iron
- Aluminum bronze
- Ductile cast iron
- Stainless steel
- Bronze
- (Super) duplex stainless steel

Single or multiple pump stages



A variety of shaft seal configurations and bearings

Shaft seal configurations for the vertical turbine pump range from packed stuffing-boxes to various types of mechanical seals. The selection of shaft seals and bottom and intermediate bearings depends on the operating conditions and composition of the medium being pumped. Pentair can advise on the appropriate configuration for your application, ensuring safe and reliable operation with minimal maintenance requirements.

Oil lubricated thrust bearings

As standard, the vertical turbine pump has oil lubricated anti-friction thrust bearings. The bearings are integrated into the pump casing, making the choice of the driver and transmission, if required, independent of the pump configuration.





WORLDWIDE

Sales and Service Organizations

Pentair's Fairbanks Nijhuis pump line delivers high-quality products and services based on more than 100 years experience in the design, production and application of centrifugal pumps and pumping systems according to customers' specifications. In our facilities (Winterswijk, The Netherlands and Kansas, USA) our dedicated staff continuously sets the standard for product improvement based on the latest developments in the market. Using advanced computer-aided technology, we develop tailor-made pumps with the highest achievable efficiencies. After-sales service is offered, supported by a global network of service centers, staffed by experts in state-of-the-art pump technology. Customers who ordered pumps from Fairbanks Nijhuis decades ago are still regular customers, which indicate they trust and rely on our pumps and related services. The quality assurance program is certified by Lloyd's according to ISO 9001 and guarantees that products and services meet all international standards. The Fairbanks Nijhuis line embraces the values of sustainability, openness, reliability, and social responsibility within the company and especially in cooperation with customers, suppliers and the world around us.

Pentair's

Global Solutions Areas

FILTRATION & PROCESSING SOLUTIONS

Our advanced filtration, separation, treatment and quality control of water and other fluids provides solutions for restaurants and breweries, local municipalities and corporate office buildings.

FLOW MANAGEMENT SOLUTIONS

We enable the control, isolation and movements of fluids, gases and other media – solutions that help maintain crucial operations in industries as diverse as refineries, agriculture and municipal infrastructure.

EQUIPMENT PROTECTION SOLUTIONS

We create solutions that enclose, protect and cool essential electrical and electronic equipment to help keep vital systems running.

THERMAL MANAGEMENT SOLUTIONS

We help our customers manage heat requirements to maintain critical processes and provide greater control over a full array of thermal management demands.



THE NETHERLANDS
NIJHUIS POMPEN BV
PARALLELWEG 4
7102 DE WINTERSWIJK

T +31 (0)543 547474
INFO.NIJHUIS@PENTAIR.COM

USA
KANSAS CITY FACILITY
3601 FAIRBANKS AVENUE
KANSAS CITY, KANSAS 66106

913-371-5000
FAX: 913-748-4025

www.FairbanksNijhuis.com